

www.neb.com info@neb.com



## New England Biolabs Certificate of Analysis

Product Name: NEB® Turbo Electrocompetent E. coli

Catalog #: C2986K *Lot #:* 0231704 Assay Date: 04/2017 Expiration Date: 04/2018 -80°C Storage Temp:

Specification Version: PS-C2986K v1.0 Effective Date: 24 Apr 2017

Assay Name/Specification (minimum release criteria)	Lot #0231704
Antibiotic Resistance (Nitrofurantoin) - 15 µl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) - 15 µl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) - 15 µl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> - 15 μl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) - 15 µl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Streptomycin) - 15 µl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37° C.	Pass
Antibiotic Sensitivity (Tetracycline) - 15 µl of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37° C.	Pass
Blue-White Screening ( $\alpha$ -complementation, Competent Cells) - NEB® Turbo Electrocompetent <i>E. coli</i> were shown to be suitable for blue/white screening by $\alpha$ -complementation of the $\beta$ -galactosidase gene using pUC19.	Pass









240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Assay Name/Specification (minimum release criteria)	Lot #0231704
Phage Resistance ( $\Phi$ 80) - 15 $\mu$ l of untransformed NEB® Turbo Electrocompetent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage $\Phi$ 80 after incubation for 16 hours at 37°C.	Pass
<b>Transformation Efficiency</b> - 25 μl of NEB® Turbo Electrocompetent <i>E. coli</i> cells were transformed with 10 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37° C resulted in $>1 \times 10e10$ cfu/μg of DNA.	Pass

Authorized by

Derek Robinson 24 Apr 2017

nga.
ISO 9001
Registered
Quality





×

Inspected by Quiting Ren 22 May 2017