240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Antarctic Phosphatase Reaction Buffer

Catalog #: B0289S

Concentration: 10X Concentrate

 Lot #:
 0101709

 Assay Date:
 09/2017

 Expiration Date:
 09/2020

 Storage Temp:
 -20°C

Composition (1X): 50 mM Bis-Tris-Propane-HCl, 1 mM MgCl₂, 0.1 mM ZnCl₂, (pH 6.0 @ 25°C)

Specification Version: PS-B0289S v1.0 Effective Date: 13 Jun 2018

| Assay Name/Specification (minimum release criteria) | Lot #0101709 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Endonuclease Activity (Nicking, Buffer) - A 50 μl reaction in 1X Antarctic Phosphatase Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis. | Pass |
| Functional Testing (Dephosphorylation) - A 23 μ l reaction in Antarctic Phosphatase Reaction Buffer containing 1 μ g of linear DNA with 5' recessed ends and 1 unit of Antarctic Phosphatase incubated for 30 minutes at 37°C results in \geq 95% dephosphorylation as measured by transformation into <i>E. coli</i> . | Pass |
| Non-Specific DNase Activity (16 hour, Buffer) - A 50 µl reaction in 1X Antarctic Phosphatase Reaction Buffer containing 1 µg of PhiX174-HaeIII DNA incubated for 16 hours at 37°C resuls in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass |
| RNase Activity (Buffer) - A 10 µl reaction in 1X Antarctic Phosphatase Reaction Buffer containing 40 ng of a 300 base single-stranded RNA is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by polyacrylamide gel electrophoresis. | Pass |

Authorized by Derek Robinson 13 Jun 2018







Inspected by Ana Egana 01 Sep 2017