

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: BtsI-v2
Catalog Number: R0667S
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 55°C in a total reaction volume of 50 μl.

Packaging Lot Number: 10080859
Expiration Date: 08/2022
Storage Temperature: -20°C

Storage Conditions: 50 mM KCl , 10 mM Tris-HCl, 1 mM DTT , 0.1 mM EDTA , 50 % Glycerol ,

200 μg/ml BSA (pH 7.4 @ 25°C)

Specification Version: PS-R0667S/L v2.0

BtsI-v2 Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0667SVIAL	BtsI-v2	10080860	Pass	
B7204SVIAL	CutSmart® Buffer	10071079	Pass	

Assay Name/Specification	Lot # 10080859
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart® Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 50 units of Btsl-v2 incubated for 4 hours at 55°C releases <0.1% of the total radioactivity.	Pass
Functional Testing (15 minute Digest) A 50 μl reaction in CutSmart® Buffer containing 1 μg of Lambda DNA and 1 μl of Btsl-v2 incubated for 15 minutes at 55°C results in complete digestion as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) BtsI-v2 is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart® Buffer containing 1 µg of Lambda DNA and a minimum of 10 units of Btsl-v2 incubated for 16 hours at 55°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass



R0667S / Lot: 10080859

Page 1 of 2

Assay Name/Specification	Lot # 10080859
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of Lambda DNA with Btsl-v2, >95% of the DNA fragments	
can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
~75% can be recut with BtsI-v2.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang Production Scientist

25 Aug 2020

Michael Tonello

Packaging Quality Control Inspector

25 Aug 2020