

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: NiCo21(DE3) Competent E. coli

Catalog Number: C2529H
Lot Number: 10030704
Expiration Date: 11/2019
Storage Temperature: -80°C

Specification Version: PS-C2529H v1.0

NiCo21(DE3) Competent E. coli Component List				
<b>NEB Part Number</b>	<b>Component Description</b>	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10025691	Pass	
C2529HVIAL	NiCo21(DE3) Competent E. coli	10017412	Pass	
B9020SVIAL	SOC Outgrowth Medium	10018462	Pass	

Assay Name/Specification	Lot # 10030704
Antibiotic Sensitivity (Streptomycin) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Phage Resistance (φ 80) 15 μl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Transformation Efficiency 50 μl of NiCo21(DE3) Competent E. coli cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e7 cfu/μg of DNA.	Pass
Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours	Pass



C2529H / Lot: 10030704

Page 1 of 2

Assay Name/Specification	Lot # 10030704
at 37°C.	
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass

This product has been tested and shown to be in compliance with all specifications.

Chris Blanchette Production Scientist 07 Sep 2018

Corey Rabeau

Packaging Quality Control Inspector

27 Nov 2018



C2529H / Lot: 10030704

Page 2 of 2