

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NiCo21(DE3) Competent E. coli

Catalog Number: C2529H
Packaging Lot Number: 10058329
Expiration Date: 10/2020
Storage Temperature: -80°C

Specification Version: PS-C2529H v1.0

NiCo21(DE3) Competent E. coli Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
N3041AVIAL	pUC19 Vector	10053503	Pass	
C2529HVIAL	NiCo21(DE3) Competent E. coli	10035647	Pass	
B9020SVIAL	SOC Outgrowth Medium	10048123	Pass	

Assay Name/Specification	Lot # 10058329
Phage Resistance (φ 80) 15 μl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.	Pass
Transformation Efficiency 50 µl of NiCo21(DE3) Competent E. coli cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e7 cfu/µg of DNA.	Pass
Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at	Pass



C2529H / Lot: 10058329

Page 1 of 2

This product has been tested and shown to be in compliance with all specifications.

Lixin An

at 37°C.

Production Scientist

15 Mar 2019

Nick Privitera

Packaging Quality Control Inspector

18 Oct 2019



C2529H / Lot: 10058329

Page 2 of 2