

New England Biolabs Certificate of Analysis

Product Name: dam - / dcm - Competent E. coli

 Catalog #:
 C2925H/I

 Lot #:
 0541611

 Assay Date:
 11/2016

 Expiration Date:
 11/2017

 Storage Temp:
 -80°C

Specification Version: PS-C2925H/I v1.0

Effective Date: 07 Jul 2016

Assay Name/Specification (minimum release criteria)	Lot #0541611
Antibiotic Resistance (Chloramphenicol) - 15 µl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Chloramphenicol will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Nitrofurantoin) - 15 µl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Streptomycin) - 15 µl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) - 15 µl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) - 15 µl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) - 15 μl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) - 15 µl of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Phage Resistance (Φ 80) - 15 μ l of untransformed dam ⁻ /dcm ⁻ Competent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage Φ 80 after incubation for 16 hours at 37°C.	Pass
Transformation Efficiency - 50 μl of dam ⁻ /dcm ⁻ Competent <i>E. coli</i> cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e6 cfu/μg of DNA.	Pass

Authorized by Derek Robinson 07 Jul 2016







Inspected by Lixin An 28 Nov 2016