

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

dam <sup>-</sup> /dcm <sup>-</sup> Competent E. coli
C2925H/I
0581707
07/2017
07/2018
-80°C
PS-C2925H/I v1.0
22 Nov 2016

Assay Name/Specification (minimum release criteria)	Lot #0581707
<b>Antibiotic Resistance (Chloramphenicol)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Chloramphenicol will form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Resistance (Nitrofurantoin)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Resistance (Streptomycin)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Ampicillin)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Spectinomycin)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Tetracycline)</b> - 15 $\mu$ l of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Phage Resistance (<math>\Phi</math> 80)</b> - 15 µl of untransformed dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage $\Phi$ 80 after incubation for 16 hours at 37°C.	Pass
<b>Transformation Efficiency</b> - 50 $\mu$ l of dam <sup>-</sup> /dcm <sup>-</sup> Competent <i>E. coli</i> cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e6 cfu/ $\mu$ g of DNA.	Pass

otunen

Authorized by Derek Robinson 22 Nov 2016



Inspected by Lixin An 03 Aug 2017