

be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

| Product Name: | dam-/dcm- Competent E. coli |
|------------------------|-----------------------------|
| Catalog Number: | C2925I |
| Lot Number: | 10030908 |
| Expiration Date: | 11/2019 |
| Storage Temperature: | -80°C |
| Specification Version: | PS-C2925H/I v1.0 |

| dam-/dcm- Competent E. coli Component List | | | | |
|--|--|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| N3041AVIAL | pUC19 Vector | 10025691 | Pass | |
| C2925IVIAL | dam ⁻ /dcm ⁻ Competent E. coli | 10014886 | Pass | |
| B9020SVIAL | SOC Outgrowth Medium | 10018460 | Pass | |

| Assay Name/Specification | Lot # 10030908 |
|--|----------------|
| Transformation Efficiency 50 µl of dam-/dcm- Competent E. coli cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e6 cfu/µg of DNA. | Pass |
| Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C. | Pass |





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

| Assay Name/Specification | Lot # 10030908 |
|---|----------------|
| Phage Resistance (ϕ 80) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage ϕ 80 after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Resistance (Streptomycin) 15 μl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Resistance (Chloramphenicol) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Chloramphenicol will form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Resistance (Nitrofurantoin) 15 µl of untransformed dam-/dcm- Competent E. coli streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C. | Pass |

This product has been tested and shown to be in compliance with all specifications.

Lixin An Production Scientist 13 Jul 2018

Corey Rabeau

Packaging Quality Control Inspector 11 Dec 2018

