

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEB® 5-alpha F Iq Competent E. coli (High Efficiency)

Catalog Number: C2992I
Lot Number: 10013992
Expiration Date: 06/2019
Storage Temperature: -80°C

Specification Version: PS-C2992H/I v1.0

| NEB® 5-alpha F Iq Competent E. coli (High Efficiency) Component List | | | | |
|--|---|------------|----------------------|--|
| NEB Part Number | Component Description | Lot Number | Individual QC Result | |
| N3041AVIAL | pUC19 Vector | 10010689 | Pass | |
| C2992IVIAL | NEB® 5-alpha F Iq Competent E. coli (High Efficiency) | 10009084 | Pass | |
| B9020SVIAL | SOC Outgrowth Medium | 5621804 | Pass | |

| Assay Name/Specification | Lot # 10013992 |
|--|----------------|
| Transformation Efficiency 50 μl of NEB® 5-alpha F'lq Competent E. coli (High Efficiency) cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e9 cfu/μg of DNA. | Pass |
| Phage Resistance (φ 80) 15 μl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C. | Pass |
| Blue-White Screening (α -complementation, Competent Cells) NEB® 5-alpha F'lq Competent E. coli (High Efficiency) were shown to be suitable for blue/white screening by α -complementation of the β -galactosidase gene using pUC19. | Pass |
| Antibiotic Sensitivity (Streptomycin) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) | Pass |



C2992I / Lot: 10013992

Page 1 of 2

| Assay Name/Specification | Lot # 10013992 |
|--|----------------|
| streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C. | |
| Antibiotic Sensitivity (Nitrofurantoin) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Nitrofurantoin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Chloramphenicol) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Resistance (Tetracycline) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containingTetracycline will form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Ampicillin) 15 µl of untransformed NEB® 5-alpha F'lq Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C. | Pass |

This product has been tested and shown to be in compliance with all specifications.

Lixin An

Production Scientist

27 Jun 2018

Corey Rabeau

Packaging Quality Control Inspector

27 Jun 2018



C2992I / Lot: 10013992

Page 2 of 2