

## New England Biolabs Certificate of Analysis

Product Name: SHuffle® T7 Express Competent E. coli

 Catalog #:
 C3029J

 Lot #:
 0151710

 Assay Date:
 10/2017

 Expiration Date:
 10/2018

 Storage Temp:
 -80°C

Specification Version: PS-C3029J v1.0 Effective Date: 12 Apr 2017

Assay Name/Specification (minimum release criteria)	Lot #0151710
Antibiotic Resistance (Nitrofurantoin) - 15 µl of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Spectinomycin) - 15 µl of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Spectinomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Resistance (Streptomycin) - 15 $\mu$ l of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Streptomycin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) - 15 µl of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) - 15 µl of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> - 15 μl of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) - 15 µl of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37° C.	Pass









## **New England Biolabs** Certificate of Analysis

Assay Name/Specification (minimum release criteria)	Lot #0151710
<b>Functional Testing (Disulfide Bond Formation)</b> - The nuclease NucA requires disulfide bonds for its stability. When expressed at 37°C in <i>E. coli</i> , NucA is toxic to cells only in its oxidized disulfide-bonded state. Transformation of SHuffle® T7 Express Competent <i>E. coli</i> using 100 pg of plasmid that expresses a MBP-NucA fusion results in < 1% of the colonies when compared to a control transformation of its wild type parent strain NEB 10-beta.	Pass
<b>Phage Resistance</b> ( $\Phi$ 80) - 15 $\mu$ l of untransformed Shuffle® T7 Express Competent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage $\Phi$ 80 after incubation for 16 hours at 37°C.	Pass
<b>Transformation Efficiency</b> - 50 $\mu$ l of SHuffle® T7 Express Competent <i>E. coli</i> cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10e7 cfu/ $\mu$ g of DNA.	Pass

Authorized by Derek Robinson 12 Apr 2017







Inspected by Quiting Ren 13 Oct 2017