

be INSPIRED

ve DISCOVERY 240 County Road

ay GENUINE Ipswich, MA 01938-2723

Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Shrimp Alkaline Phosphatase (rSAP)

Catalog Number: M0371S
Concentration: 1,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme that hydrolyzes 1 µmol

of p-Nitrophenyl Phosphate, PNPP in a total reaction volume of 1 ml

in 1 minute at 37°C

Packaging Lot Number: 10210713
Expiration Date: 10/2025
Storage Temperature: -20°C

Storage Conditions: 25 mM Tris-HCl , 1 mM MgCl2 , 50 % Glycerol, (pH 7.5 @ 25°C)

Specification Version: PS-M0371S/L/X v2.0

Shrimp Alkaline Phosphatase (rSAP) Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0371SVIAL	Shrimp Alkaline Phosphatase (rSAP)	10208833	Pass	
B6004SVIAL	rCutSmart™ Buffer	10207418	Pass	

Assay Name/Specification	Lot # 10210713
Endonuclease Activity (Nicking) A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 3 units of Shrimp Alkaline Phosphatase (rSAP) incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 10 units of Shrimp Alkaline Phosphatase (rSAP) incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 4 containing 1 µg of PhiX174-HaeIII DNA and a minimum of 10 units of Shrimp Alkaline Phosphatase (rSAP) incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE)	Pass



M0371S / Lot: 10210713

Page 1 of 2

Assay Name/Specification	Lot # 10210713
Shrimp Alkaline Phosphatase (rSAP) is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 1 µl of Shrimp Alkaline Phosphatase (rSAP) is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as	Pass
determined by gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist 26 Nov 2023 Michael Tonello

Packaging Quality Control Inspector

26 Nov 2023



M0371S / Lot: 10210713

Page 2 of 2