

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name:	NEBNext® Q5® Hot Start HiFi PCR Master Mix
Catalog #:	M0543S/L
<i>Lot #:</i>	0081710
Assay Date:	10/2017
Expiration Date:	10/2019
Storage Temp:	-20°C
Specification Version:	PS-M0543S/L v1.0
Effective Date:	17 Apr 2018

Assay Name/Specification (minimum release criteria)	Lot #0081710
<b>Functional Testing (Multiplex PCR, Bead Inhibition)</b> - A 50 $\mu$ l reaction in 1X NEBNext® Q5® Hot Start HiFi PCR Master Mix and 0.5 $\mu$ M 3-plex primer mix containing 20 ng Human Genomic DNA for 30 cycles of PCR amplification results in the expected three amplicons and no inhibition of amplification in the presence of the beads.	Pass
<b>Non-Specific DNase Activity (16 hour, Master Mix)</b> - A 50 $\mu$ l reaction in 1X NEBNext® Q5® Hot Start HiFi PCR Master Mix containing 1 $\mu$ g of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
<b>Phosphatase Activity (pNPP)</b> - A 200 $\mu$ l reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl <sub>2</sub> containing 2.5 mM <i>p</i> -Nitrophenyl Phosphate (pNPP) and a minimum of 20 $\mu$ l of NEBNext® Q5® Hot Start HiFi PCR Master Mix incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass

otim

Authorized by Derek Robinson 17 Apr 2018



Christian Juman

Inspected by Christine Sumner 24 Oct 2017