

New England Biolabs Certificate of Analysis

Product Name: Histone H1 Degree Human Recombinant
Catalog Number: M2501S
Concentration: 1 mg/ml
Unit Definition: N/A
Packaging Lot Number: 10109982
Expiration Date: 06/2023
Storage Temperature: -20°C
Storage Conditions: 300 mM NaCl, 20 mM NaPO₄, 1 mM EDTA, (pH 7.0 @ 25°C)
Specification Version: PS-M2501S v2.0

Histone H1 Degree Human Recombinant Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M2501SVIAL	Histone H1 ^o Human, Recombinant	10109981	Pass

Assay Name/Specification	Lot # 10109982
Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer 2 containing 1 µg of supercoiled PhiX174 RF I DNA and a minimum of 10 µg of Histone H10 Human, Recombinant incubated for 4 hours at 37°C results in <10% conversion to RFII as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 2 containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 µg of Histone H10 Human, Recombinant incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Molecular Weight Determination (Mass Spectrometry) The molecular weight of Histone H10 Human, Recombinant is between 20,730.46 and 20,732.74 as determined by mass spectrometry analysis.	Pass
Protease Activity (Histones) A 12 µl reaction containing 7 µl of a standard mixture of proteins and a minimum of 5 µg of Histone H10 Human, Recombinant incubated for 4 hours at 37°C, results in no detectable degradation of the protein mixture as determined by SDS-PAGE with Coomassie Blue detection.	Pass
Protein Purity Assay (SDS-PAGE) Histone H10 Human, Recombinant is ≥ 95% pure as determined by SDS-PAGE analysis	Pass

Assay Name/Specification	Lot # 10109982
using Coomassie Blue detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Fana Mersha
Production Scientist
22 Jun 2021



Michael Tonello
Packaging Quality Control Inspector
22 Jun 2021