

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: SNAP-Surface® 594

Catalog Number: S9134S
Packaging Lot Number: 10058025
Expiration Date: 01/2025
Storage Temperature: -20°C

Specification Version: PS-S9134S v3.0

SNAP-Surface® 594 Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
S9134SVIAL	SNAP-Surface® 594	10037738	Pass

Assay Name/Specification	Lot # 10058025
Physical Purity (HPLC) SNAP-Surface® 594 is ≥ 90% pure as determined by HPLC analysis.	Pass
In Vitro Protein Labeling A 50 μl reaction in 1X PBS and 1 mM DTT containing 5 μM of SNAP-tag® Purified Protein and a minimum of 10 μM of SNAP-Surface® 594 is incubated for 1 hour at 37°C results in the expected labeled product that is visualized on SDS-PAGE by fluorescent detection.	Pass
Identity (Mass Spectrometry) The observed molecular mass of SNAP-Surface® 594 is 1057.3 Da +/- 1 Da as determined by mass spectrometry analysis.	Pass

This product has been tested and shown to be in compliance with all specifications.



S9134S / Lot: 10058025

Page 1 of 2

Chistopher R. Provost

Chris Provost Production Scientist 21 Feb 2019

Jay Minichiello

Packaging Quality Control Inspector

21 Jan 2020