

New England Biolabs Certificate of Analysis

Product Name: *HiScribe™ T7 ARCA mRNA Kit*
 Catalog Number: *E2065S*
 Packaging Lot Number: *10111714*
 Expiration Date: *11/2022*
 Storage Temperature: *-20°C*
 Specification Version: *PS-E2065S v1.0*

HiScribe™ T7 ARCA mRNA Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N2053AVIAL	2X ARCA/NTP Mix	10098192	Pass
N0247AVIAL	CLuc Control Template	10099611	Pass
M0303AAVIAL	DNase I (RNase-free)	10099612	Pass
M0255AAVIAL	T7 RNA Polymerase Mix	10110984	Pass
B2051AVIAL	LiCl Solution	10103368	Pass


Assay Name/Specification	Lot # 10111714
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in HiScribe™ T7 ARCA mRNA Kit and meet the designated specifications.</p> <p>Functional Testing (RNA Synthesis, Yield) A 20 µl reaction in the presence of 1 X ARCA/NTP Mix containing 1 µg CLuc Control Template with 2 µl of the T7 RNA Polymerase Mix incubated for 30 minutes at 37°C results in a minimum of 15 µg of a 1.6 kb RNA as determined by OD 260 and agarose gel electrophoresis.</p>	<p>Pass</p> <p>Pass</p>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Dongxian Yue
Production Scientist
01 Jun 2021



Michael Tonello
Packaging Quality Control Inspector
02 Jun 2021