

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Ultra™ II Q5® Master Mix

Catalog Number: M0544L
Lot Number: 10038702
Expiration Date: 06/2020
Storage Temperature: -20°C

Specification Version: PS-M0544S/L v1.0

NEBNext® Ultra™ II Q5® Master Mix Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0544SVIAL	NEBNext® Ultra™ II Q5® Master Mix	10033565	Pass

Assay Name/Specification	Lot # 10038702
Functional Testing (Multiplex PCR, Bead Inhibition) A 50 μl reaction in 1X NEBNext® Ultra™ II Q5® Master Mix and 0.5 μM 3-plex primer mix containing 20 ng Human Genomic DNA for 30 cycles of PCR amplification results in the expected three amplicons and no inhibition of amplification in the presence of the beads.	Pass
Non-Specific DNase Activity (16 hour, Buffer) A 50 µl reaction in 1X NEBNext Ultra II Q5 Master Mix containing 1 µg of T3 DNA in addition to a reaction containing Lambda-HindIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Phosphatase Activity (pNPP) A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl2 containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 20 µl of NEBNext® Ultra™ II Q5® Master Mix incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass

This product has been tested and shown to be in compliance with all specifications.



M0544L / Lot: 10038702 Page 1 of 2 Christin Summ

Christine Sumner Production Scientist 07 Mar 2019 Michael Tonello

Packaging Quality Control Inspector

07 Mar 2019

