

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Lambda Protein Phosphatase

Catalog Number: P0753L

Concentration: 400,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme that hydrolyzes 1 nmol

of p-Nitrophenyl Phosphate in 1 minute at 30°C in a total reaction

volume of 50 μl.

Lot Number: 10035574
Expiration Date: 02/2021
Storage Temperature: -80°C

Storage Conditions: 100 mM NaCl , 50 mM HEPES , 2 mM DTT , 0.1 mM EGTA , 0.1 mM MnCl2 ,

50 % Glycerol , 0.01 % Brij 35, (pH 7.5 @ 25°C)

Specification Version: PS-P0753S/L v1.0

Lambda Protein Phosphatase Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
P0753LVIAL	Lambda Protein Phosphatase	10035575	Pass	
B1761SVIAL	10mM MnCl2	10035933	Pass	
B0761SVIAL	NEBuffer for Protein MetalloPhosphatases (PMP)	10035934	Pass	

Assay Name/Specification	Lot # 10035574
Endonuclease Activity (Nicking) A 50 μl reaction in CutSmart® Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 400 units of Lambda Protein Phosphatase (Lambda PP) incubated for 4 hours at 30°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart® Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 400 units of Lambda Protein Phosphatase (Lambda PP) incubated for 4 hours at 30°C releases <0.1% of the total radioactivity.	Pass
Protease Activity (SDS-PAGE) A 20 µl reaction in 1X CutSmart® Buffer containing 24 µg of a standard mixture of proteins and a minimum of 2,000 units of Lambda Protein Phosphatase (Lambda PP) incubated for 20 hours at 37°C, results in no detectable degradation of the protein mixture as determined by SDS-PAGE with Coomassie Blue detection.	Pass



P0753L / Lot: 10035574

Page 1 of 2



Assay Name/Specification	Lot # 10035574
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 400 units of Lambda Protein Phosphatase (Lambda PP) is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

Alicia Bielik Production Scientist

05 Feb 2019

Michael Tonello

Packaging Quality Control Inspector

06 May 2019