

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Nsil
Catalog Number: R0127L
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in 1 hour at 37°C in 50 µl of reaction buffer.

Lot Number: 10011216
Expiration Date: 05/2020
Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 500 μg/ml BSA

Specification Version: PS-R0127S/L v1.0

Nsil Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
R0127LVIAL	Nsil	0361805	Pass	
B7203SVIAL	NEBuffer™ 3.1	0541804	Pass	

Assay Name/Specification	Lot # 10011216
Protein Purity Assay (SDS-PAGE)	Pass
NsiI is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in NEBuffer 3.1 containing 1 µg of Lambda DNA and a minimum of 50	
Units of Nsil incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Endonuclease Activity (Nicking)	Pass
A 50 µl reaction in NEBuffer 3.1 containing 1 µg of supercoiled PhiX174 DNA and a	
minimum of 30 units of Nsil incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	
to the flicked form as determined by agarose gerelectrophoresis.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 20-fold over-digestion of Lambda DNA with Nsil, >95% of the DNA fragments	
can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Nsil.	
29370 Call De l'ecut with INSII.	
Exonuclease Activity (Radioactivity Release)	Pass



R0127L / Lot: 10011216

Page 1 of 2

Assay Name/Specification	Lot # 10011216
A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 100 units of Nsil incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	

This product has been tested and shown to be in compliance with all specifications.

Anthony Francis
Production Scientist

05 Jun 2018

Michael Tonello

Packaging Quality Control Inspector

05 Jun 2018

