

*be* INSPIRED *drive* DISCOVERY *stay* GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

| Product Name:          | EcoRV  |
|------------------------|--|
| Catalog Number:        | R0195S   |
| Concentration:         | 20,000 U/ml  |
| Unit Definition:       | One unit is defined as the amount of enzyme required to digest 1 $\mu$ g of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 $\mu$ l. |
| Packaging Lot Number:  | 10223038   |
| Expiration Date:       | 11/2025  |
| Storage Temperature:   | -20°C  |
| Storage Conditions:    | 50 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%<br>Glycerol, 200 μg/ml BSA   |
| Specification Version: | PS-R0195S/L v1.0   |

| EcoRV Component List |                              |            |                      |  |
|----------------------|------------------------------|------------|----------------------|--|
| NEB Part Number      | Component Description        | Lot Number | Individual QC Result |  |
| R0195SVIAL           | EcoRV                        | 10216373   | Pass                 |  |
| B7024AVIAL           | Gel Loading Dye, Purple (6X) | 10207417   | Pass                 |  |
| B6003SVIAL           | NEBuffer™ r3.1               | 10182166   | Pass                 |  |

| Assay Name/Specification  | Lot # 10223038 |
|---|----------------|
| <b>Blue-White Screening (Terminal Integrity)</b><br>A sample of LITMUS28i vector linearized with a 10-fold excess of EcoRV, religated<br>and transformed into an E. coli strain expressing the LacZ beta fragment gene<br>results in <1% white colonies.  | Pass           |
| <b>Endonuclease Activity (Nicking)</b><br>A 50 µl reaction in NEBuffer 3.1 containing 1 µg of supercoiled PhiX174 DNA and a<br>minimum of 20 units of EcoRV incubated for 4 hours at 37°C results in <50%<br>conversion to the nicked form as determined by agarose gel electrophoresis.            | Pass           |
| <b>Exonuclease Activity (Radioactivity Release)</b><br>A 50 µl reaction in NEBuffer 3.1 containing 1 µg of a mixture of single and<br>double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 100 units of EcoRV incubated for<br>4 hours at 37°C releases <0.1% of the total radioactivity. | Pass           |
| Ligation and Recutting (Terminal Integrity)<br>After a 10-fold over-digestion of Lambda DNA with EcoRV, >95% of the DNA fragments<br>can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,   | Pass           |





be INSPIRED drive DISCOVERY stay GENUINE

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

| Assay Name/Specification  | Lot # 10223038 |
|---|----------------|
| >95% can be recut with EcoRV.   |                |
| <b>Non-Specific DNase Activity (16 Hour)</b><br>A 50 µl reaction in NEBuffer 3.1 containing 1 µg of Lambda DNA and a minimum of 20<br>units of EcoRV incubated for 16 hours at 37°C results in a DNA pattern free of<br>detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass           |
| Protein Purity Assay (SDS-PAGE)<br>EcoRV is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.  | Pass           |

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sun Production Scientist 11 Dec 2023

m. l. Michae

Michael Tonello Packaging Quality Control Inspector 12 Dec 2023

