

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Hpy166II

Catalog Number: R0616S

Concentration: 10,000 U/mI

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 · g

of pBR322 in 1 hour at 37°C in total reaction volume of 50 ·l.

Packaging Lot Number: 10100430
Expiration Date: 02/2023
Storage Temperature: -20°C

Storage Conditions: 250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50%

Glycerol, 0.15% Triton X-100, 200 µg/ml BSA

Specification Version: PS-R0616S/L v1.0

Hpy166II Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0616SVIAL	Hpy166II	10100429	Pass	
B7204SVIAL	CutSmart® Buffer	10096304	Pass	

Assay Name/Specification	Lot # 10100430
Protein Purity Assay (SDS-PAGE)	Pass
Hpy166II is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pBR322 DNA and a minimum of 50 units of Hpy166II incubated for 16 hours at 37°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 30 units of Hpy166II incubated	
for 4 hours at 37°C releases <0.1% of the total radioactivity.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of pBR322 DNA with Hpy166II, >95% of the DNA	
fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated	
fragments, >95% can be recut with Hpy166II.	

This product has been tested and shown to be in compliance with all specifications.



R0616S / Lot: 10100430 Page 1 of 2 One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Penghua Zhang

04 Mar 2021

Production Scientist

Michael Tonello

Packaging Quality Control Inspector

04 Mar 2021

R0616S / Lot: 10100430

Page 2 of 2