

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Fatl
Catalog Number: R0650S
Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of pUC19 DNA in NEBuffer r2.1 in 1 hour at 55°C in a total reaction

volume of 50 μl.

Packaging Lot Number: 10203106
Expiration Date: 08/2025
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 50 mM NaCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200

μg/ml rAlbumin (pH 7.4 @ 25°C)

Specification Version: PS-R0650S/L v2.0

Fatl Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0650SVIAL	Fatl	10201943	Pass	
B6002SVIAL	NEBuffer™ r2.1	10173667	Pass	

Assay Name/Specification	Lot # 10203106
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in NEBuffer™ r2.1 containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 10 units of FatI incubated for 4	
hours at 55°C releases <0.1% of the total radioactivity.	
Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of pUC19 DNA with Fatl, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95%	
can be recut with Fatl.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in NEBuffer™ r2.1 containing 1 µg of pUC19 DNA and a minimum of 10 units of FatI incubated for 16 hours at 55°C results in a DNA pattern free of	
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Protein Purity Assay (SDS-PAGE)	Pass
FatI is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue	
detection.	



R0650S / Lot: 10203106

Page 1 of 2

Assay Name/Specification	Lot # 10203106
qPCR DNA Contamination (E. coli Genomic)	Pass
A minimum of 2 units of Fatl is screened for the presence of E. coli genomic DNA	
using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results	
are quantified using a standard curve generated from purified E. coli genomic DNA.	
The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

YunJie Sun

Production Scientist

10 Aug 2023

Michael Tonello

Packaging Quality Control Inspector

18 Aug 2023



R0650S / Lot: 10203106

Page 2 of 2